Index to volume 87

Author index*

A

Abanomi AA (*see* Dumbrigue et al). 2002;87:112-4
Abbas H (*see* Al-Hadi and Abbas). 2002;87:423-6
Agar JA (*see* Keys and Agar). 2002;87:466
Akça K, Iplikçioğlu H, Çehreli MC. A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible. 2002;87:233-5
Akça K (*see* Hersek et al). 2002;87:499-502
Akkayan B, Gülmez T. Resistance to fracture of endodontically treated teeth restored with different post systems. 2002;87:431-7
Akkayan B (*see* Gür et al). 2002;87:464-5
Akon BA (*see* Gregoire et al). 2002;87:633-41
Al-Abbas H, Al-Ajmi M, Pipko DJ. A positioning jig to verify the accuracy of implant abutments. 2002;87:115-6
Al-Ajmi M (*see* Al-Abbas et al). 2002;87:115-6
Al-Hadi LA, Abbas H. Treatment of an edentulous patient with surgically induced microstomia: a clinical report. 2002;87:423-6
Aloul RK, Hansen CA. Pinlay to prevent and restore excessive wear in anterior teeth. 2002;87:696-7
Anderson J (*see* Morrison et al). 2002;87:679-83
Andreopoulos A (*see* Yannikakis et al). 2002;87:613-9
Anić I (*see* Segović et al). 2002;87:182-8
Anusavice KJ (*see* Oh and Anusavice). 2002;87:536-42
Anusavice KJ (*see* Oh et al). 2002;87:451-9
Aquilino SA, Caplan DJ. Relationship between crown placement and the survival of endodontically treated teeth. 2002;87:256-63
Arbree NS (*see* Chaimattayompol et al). 2002;87:684-7
Attin T (*see* Buchalla et al). 2002;87:264-70
Ayad MF. Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy. 2002;87:162-6

B

Belser UC (*see* Magne et al). 2002;87:516-27
Benson BW (*see* Sahiwal et al). 2002;87:543-51
Benson BW (*see* Sahiwal et al). 2002;87:552-62
Benson BW (*see* Sahiwal et al). 2002;87:563-77
Blochberger P (*see* Reitemeier et al). 2002;87:323-7
Brackett WW (*see* Larson et al). 2002;87:625-7
Brandt RL (*see* Cox et al). 2002;87:510-5
Brantley WA (*see* Sun et al). 2002;87:86-93
Brantley WA (*see* Tufekci et al). 2002;87:80-5
Brosky ME, Pesun IJ, Lowder PD, DeLong R, Hodges JS. Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy. 2002;87:204-9
Buchalla W, Attin T, Hilgers R-D, Hellwig E. The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite. 2002;87:264-70
Butz F (*see* Heydecke et al). 2002;87:438-45

C

Cameron SM (*see* Dalvit et al). 2002;87:581-2
Campagni WV (*see* Rungcharassaeng et al). 2002;87:173-81
Canay Ş (*see* Hersek et al). 2002;87:499-502
Caplan DJ (*see* Aquilino and Caplan). 2002;87:256-63
Caputo AA (*see* Guichet et al). 2002;87:528-35
Caputo AA (*see* Sung et al). 2002;87:628-32
Carrier DD. A laboratory technique for custom incisal guidance. 2001;86:??. 2002;87:128 (Correction)
Casey D (*see* Tapia et al). 2002;87:106-9
Cavalcanti BN, Otani C, Rode SM. High-speed cavity preparation techniques with different water flows. 2002;87:158-61
Cecconi BT, Koeppen RG, Phoenix RD, Cecconi ML. Casting titanium partial denture frameworks: a radiographic evaluation. 2002;87:277-80
Cecconi ML (*see* Cecconi et al). 2002;87:277-80
Çehreli MC (*see* Akça et al). 2002;87:233-5
Celar AG, Durstberger G, Zauza K. Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report. 2002;87:145-8
Çetiner F (*see* Sen et al). 2002;87:446-50
Chaffee NR, Felton DA, Cooper LF, Palmqvist U, Smith R. Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study. 2002;87:40-4
Chai T (*see* Mou et al). 2002;87:248-55
Chaimattayompol N, Arbree NS, Wong SX. A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations. 2002;87:684-7
Chambers MS, Lemon JC, Martin JW. Anterior key method for indexing orbital prostheses. 2002;87:102-5
Chambers MS (*see* Lemon and Chambers). 2002;87:336-8
Chambers MS (*see* Lemon et al). 2002;87:236-9
Chang JC, Hurst TL, Hart DA, Estey AW. 4-META use in dentistry: a literature review. 2002;87:216-24
Chang JC, Koh SH, Powers JM, Duong JH. Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling. 2002;87:271-6
Chang Y-M (*see* Ku et al). 2002;87:695
Chen T (*see* Sung et al). 2002;87:628-32
Cheng AC (*see* Wee et al). 2002;87:23-9
Cheng LL (*see* Dumbrigue et al). 2002;87:112-4
Chidiac JJ (*see* Husseinovitch and Chidiac). 2002;87:240
Chigurupati K (*see* Goto et al). 2002;87:578-80
Çiftçi Y (*see* Hersek et al). 2002;87:499-502
Cooper LF (*see* Chaffee et al). 2002;87:40-4
Cox JR, Brandt RL, Hughes HJ. A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions. 2002;87:510-5

D

Dalvit DL, Parker MH, Cameron SM. Quick chairside diagnostic wax-up. 2002;87:581-2
da Silva JL (*see* Rilo et al). 2002;87:407-9
Del Castillo R, LaMar F Jr, Ercoli C. Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report. 2002;87:587-92
DeLong R (*see* Brosky et al). 2002;87:204-9
DeLong R (*see* Oh et al). 2002;87:451-9
Dette K-E (*see* John et al). 2002;87:197-203
Dhuru VB (*see* Rambhia et al). 2002;87:30-9
Diaz-Arnold AM (*see* Haselton et al). 2002;87:225-8
Diener RM (*see* Roumanas et al). 2002;87:62-73
Dimashkieh MR. A reverse-angle dental mirror. 2002;87:345-6

*January, pp. 1-124; Februrary 125-244; March, 245-348; April, 349-468, May, 469-586; June 587-728

Douglass CW, Shih A, Ostry L. Will there be a need for complete dentures in the United States in 2020? 2002;87:5-8
Douglass CW, Watson AJ. Future needs for fixed and removable partial dentures in the United States. 2002;87:9-14
Drangsholt M (*see* John et al). 2002;87:197-203
Dumbrigue HB. Composite implant abutment analogs for solid casts. 2002;87:410
Dumbrigue HB, Abanomi AA, Cheng LL. Techniques to minimize excess luting agent in cement-retained implant restorations. 2002;87:112-4
Duong JH (*see* Chang et al). 2002;87:271-6
Dupuis R (*see* Rignon-Bret et al). 2002;87:603-12
Durstberger G (*see* Celar et al). 2002;87:145-8

E

Edelhoff D, Sorensen JA. Tooth structure removal associated with various preparation designs for anterior teeth. 2002;87:503-9
El Askary AS. Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients. 2002;87:129-32
Ercoli C (*see* Del Castillo et al). 2002;87:587-92
Ercoli C (*see* Hofstede and Ercoli). 2002;87:341-2
Ergin Ş (*see* Gemalmaz and Ergin). 2002;87:189-96
Eskridge RN (*see* Wee et al). 2002;87:23-9
Estey AW (*see* Chang et al). 2002;87:216-24

F

Felton DA (*see* Chaffee et al). 2002;87:40-4
Ferencz JL. ACP Education Foundation kicks off fund-raising campaign. 2002;87:349-50
Ferk S (*see* Segović et al). 2002;87:182-8
Ferrario VF, Sforza C, Serrao G, Schmitz JH. Three-dimensional assessment of the reliability of a postural face-bow transfer. 2002;87:210-5
Flinton RJ (*see* Jahangiri et al). 2002;87:245-7
Florița Z (*see* Rominu et al). 2002;87:620-4
Fournelle RA (*see* Rambhia et al). 2002;87:30-9
Frank H (*see* John et al). 2002;87:197-203
Frank RP, Thielke SM, Johnson GH. The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions. 2002;87:15-22

G

Galić N (*see* Segović et al). 2002;87:182-8
Garrett NR (*see* Roumanas et al). 2002;87:62-73
Gaudy J-F (*see* Rignon-Bret et al). 2002;87:603-12
Geissberger MJ, Hagge MS, Milani JE, Leknius C. Simplified clinical procedure for fitting and removing inlays/onlays prior to cementation. 2002;87:395-8
Gemalmaz D. Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report. 2002;87:133-5
Gemalmaz D, Ergin Ş. Clinical evaluation of all-ceramic crowns. 2002;87:189-96
Geron S, Ziskind D. Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report. 2002;87:125-8
Goodacre CJ (*see* Kan et al). 2002;87:485-9
Gorfil C (*see* Heling et al). 2002;87:674-8
Goto Y, Shor A, Chigurupati K, Rubenstein JE. A light-polymerized resin support tray as an aid for recording centric relation. 2002;87:578-80
Gratton DG. Letter reply. 2002;87:467
Gregoire GL, Akon BA, Millas A. Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems. 2002;87:633-41
Guichet DL, Yoshinobu D, Caputo AA. Effect of splinting and interproximal contact tightness on load transfer by implant restorations. 2002;87:528-35
Guillen GE (*see* Sahiwal et al). 2002;87:543-51
Guillen GE (*see* Sahiwal et al). 2002;87:552-62
Guillen GE (*see* Sahiwal et al). 2002;87:563-77
Gülmez T (*see* Akkayan and Gülmez). 2002;87:431-7
Gür H, Sevük Ç, Akkayan B. Alternative method for standardized tooth preparation. 2002;87:464-5

H

Haas SE. Implant-supported, long-span fixed partial denture for a scleroderma patient: a clinical report. 2002;87:136-9
Hagge MS (*see* Geissberger et al). 2002;87:395-8
Hamada MO (*see* Roumanas et al). 2002;87:62-73
Hänsel K (*see* Reitemeier et al). 2002;87:167-72
Hansen CA (*see* Aloul and Hansen). 2002;87:696-7
Hansen CA (*see* Shahrasbi and Hansen). 2002;87:330-2
Harkins S (*see* Pullinger et al). 2002;87:289-97
Harkins S (*see* Pullinger et al). 2002;87:298-310
Hart DA (*see* Chang et al). 2002;87:216-24
Haselton DR, Diaz-Arnold AM, Vargas MA. Flexural strength of provisional crown and fixed partial denture resins. 2002;87:225-8
Hatch JP (*see* Shinkai et al). 2002;87:490-8
Heling I, Gorfil C, Slutzky H, Kopolovic K, Zalkind M, Slutsky-Goldberg I. Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations. 2002;87:674-8
Hellwig E (*see* Buchalla et al). 2002;87:264-70
Helvey GA. Retrofitting crowns to an existing removable partial denture clasp: a simple technique. 2002;87:399-402
Henry PJ. A review of guidelines for implant rehabilitation of the edentulous maxilla. 2002;87:281-8
Herrmann T (*see* Reitemeier et al). 2002;87:323-7
Hersek N, Canay Ş, Akça K, Çifçi Y. Tensile strength of type IV dental stones dried in a microwave oven. 2002;87:499-502
Heydecke G, Butz F, Hussein A, Strub JR. Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems. 2002;87:438-45
Heydecke G, Peters MC. The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review. 2002;87:380-6
Hilgers R-D (*see* Buchalla et al). 2002;87:264-70
Hodges J (*see* Pesun et al). 2002;87:311-8
Hodges JS (*see* Brosky et al). 2002;87:204-9
Hofstede TM, Ercoli C. An indirect technique for fabrication of a post and core wax pattern. 2002;87:341-2
Hughes HJ (*see* Cox et al). 2002;87:510-5
Hurst TL (*see* Chang et al). 2002;87:216-24
Hussein A (*see* Heydecke et al). 2002;87:438-45
Husseinovitch I, Chidiac JJ. A modified occlusal plane device. 2002;87:240

I

Iplikçioğlu H (*see* Akça et al). 2002;87:233-5
Ito M, Kuroiwa A, Nagasaw S, Yoshida T, Yagasaki H, Oshida Y. Effect of wax melting range and investment liquid concentration on the accuracy of a three-quarter crown casting. 2002;87:57-61

J

Jahangiri L, Jandinski JJ, Flinton RJ. Stafne's bone cavity and its utilization in complete denture retention. 2002;87:245-7
Jahangiri L, Jang S. Onlay partial denture technique for assessment of adequate occlusal vertical dimension: a clinical report. 2002;87:1-4
Jahangiri L, Reinhardt SB, Mehra RV, Matheson PB. Relationship between tooth shade value and skin color: an observational study. 2002;87:149-52

Jandinski JJ (*see* Jahangiri et al). 2002;87:245-7
Jang S (*see* Jahangiri and Jang). 2002;87:1-4
Jepson NJA (*see* Reeson and Jepson). 2002;87:700
John MT, Frank H, Lobbezoo F, Drangsholt M, Dette K-E. No association between incisal tooth wear and temporomandibular disorders. 2002;87:197-203
John MT (*see* Pullinger et al). 2002;87:289-97
John MT (*see* Pullinger et al). 2002;87:298-310
Johnson GH (*see* Frank et al). 2002;87:15-22
Johnston WM (*see* Sun et al). 2002;87:86-93
Johnston WM (*see* Wee et al). 2002;87:657-66
Jukić S (*see* Segović et al). 2002;87:182-8

K

Kammeyer G, Proussaefs P, Lozada J. Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch. 2002;87:473-6
Kan JYK, Rungcharassaeng K, Kim J, Lozada JL, Goodacre CJ. Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report. 2002;87:485-9
Kan JYK (*see* Rungcharassaeng et al). 2002;87:173-81
Kapur KK (*see* Roumanas et al). 2002;87:62-73
Karkazis HC. Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report. 2002;87:419-22
Kastner C (*see* Reitemeier et al). 2002;87:167-72
Katzberg RW (*see* Tallents et al). 2002;87:45-50
Keys LG. An alternate method of verifying the seating of all-ceramic restorations. 2002;87:411
Keys LG, Agar JA. Documentation of maxillomandibular relationships during dental photography. 2002;87:466
Kihara M (*see* Matsushita and Kihara). 2002;87:343-4
Kim J (*see* Kan et al). 2002;87:485-9
Kim JS (*see* Rungcharassaeng et al). 2002;87:173-81
Kim K-H, Ong JL, Okuno O. The effect of filler loading and morphology on the mechanical properties of contemporary composites. 2002;87:642-9
Koeppen RG (*see* Cecconi et al). 2002;87:277-80
Koh SH (*see* Chang et al). 2002;87:271-6
Kopač I, Sterle M, Marion L. Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes. 2002;87:51-6
Kopolovic K (*see* Heling et al). 2002;87:674-8
Krejci I (*see* Magne et al). 2002;87:516-27
Ku Y-C, Shen Y-F, Chang Y-M. Block-out prior to pick-up impression of overdenture with ERA attachments. 2002;87:695
Kubon TM (*see* Morrison et al). 2002;87:679-83
Kuroiwa A (*see* Ito et al). 2002;87:57-61
Kyrkanides S (*see* Tallents et al). 2002;87:45-50

L

Lai JH (*see* Pesun et al). 2002;87:311-8
Lakatos S (*see* Rominu et al). 2002;87:620-4
LaMar F Jr (*see* Del Castillo et al). 2002;87:587-92
Lang LA, Wang R-F, May KB. The influence of abutment screw tightening on screw joint configuration. 2002;87:74-9
Larson TD, Nielsen MA, Brackett WW. The accuracy of dual-arch impressions: a pilot study. 2002;87:625-7
Lehmann D (*see* Reitemeier et al). 2002;87:323-7
Leknius C (*see* Geissberger et al). 2002;87:395-8
Lemon JC, Chambers MS. Locking retentive attaachment for an implant-retained auricular prosthesis. 2002;87:336-8
Lemon JC, Lewin JS, Chambers MS, Martin JW. Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique. 2002;87:236-9
Lemon JC (*see* Chambers et al). 2002;87:102-5
Lewin JS (*see* Lemon et al). 2002;87:236-9
Lindquist TJ, Stanford CM, Mostafavi H, Xie X-J. Abrasion resistance of a resin-impregnated type IV gypsum in comparison to conventional products. 2002;87:319-22
Lobbezoo F (*see* John et al). 2002;87:197-203
Lockwood PE (*see* Wataha et al). 2002;87:94-8
Lowder PD (*see* Brosky et al). 2002;87:204-9
Lozada J (*see* Kammeyer et al). 2002;87:473-6
Lozada J (*see* Proussaefs and Lozada). 2002;87:412-5
Lozada J (*see* Proussaefs et al). 2002;87:481-4
Lozada JL (*see* Kan et al). 2002;87:485-9
Lozada JL (*see* Rungcharassaeng et al). 2002;87:173-81
Lynch CD, McConnell RJ. Accurately locating the components of a fixed partial denture prior to soldering the connector: an intraoral technique. 2002;87:460-1
Lynch CD, McConnell RJ. Assessment of occlusal reduction during preparation of teeth for fixed restorations. 2002;87:110-1
Lynch CD, McConnell RJ. Fabrication of a provisional restoration after fracture of an anterior crown. 2002;87:339-40
Lynch CD, McConnell RJ. Prosthodontic management of the curve of Spee: use of the Broadrick flag. 2002;87:593-7

M

Macher DJ (*see* Tallents et al). 2002;87:45-50
Magne P, Perakis N, Belser UC, Krejci I. Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design. 2002;87:516-27
Malmström HS, Mehta N, Sanchez R, Moss ME. The effect of two different coatings on the surface integrity and softness of a tissue conditioner. 2002;87:153-7
Mamoun J. A procedure for making trial dentures. 2002;87:328-9
Marion L (*see* Kopač et al). 2002;87:51-6
Martin JW (*see* Chambers et al). 2002;87:102-5
Martin JW (*see* Lemon et al). 2002;87:236-9
Martinez-Insua A (*see* Rilo et al). 2002;87:407-9
Maruo Y (*see* Nishigawa et al). 2002;87:99-101
Matheson PB (*see* Jahangiri et al). 2002;87:149-52
Matsushita Y, Kihara M. A modified implant impression technique. 2002;87:343-4
May KB (*see* Lang et al). 2002;87:74-9
McConnell RJ (*see* Lynch and McConnell). 2002;87:110-1
McConnell RJ (*see* Lynch and McConnell). 2002;87:339-40
McConnell RJ (*see* Lynch and McConnell). 2002;87:460-1
McConnell RJ (*see* Lynch and McConnell). 2002;87:593-7
Mehra RV (*see* Jahangiri et al). 2002;87:149-52
Mehta N (*see* Malmström et al). 2002;87:153-7
Mendonça G, Neto AJF, Neves FD. A customized guide for transferring angled abutments. 2002;87:698-9
Mettenburg DJ (*see* Wataha et al). 2002;87:94-8
Milani JE (*see* Geissberger et al). 2002;87:395-8
Millas A (*see* Gregoire et al). 2002;87:633-41
Minagi S (*see* Nishigawa et al). 2002;87:99-101
Minagi S (*see* Okamoto and Minagi). 2002;87:241-2
Minsely GE (*see* Sigurgeirsdottir et al). 2002;87:477-80
Mirfazaelian A. A transfer method for multiple cement-retained implant restorations. 2002;87:692-4
Mitchell JC (*see* Tufekci et al). 2002;87:80-5
Mobley CC (*see* Shinkai et al). 2002;87:490-8
Monaghan P (*see* Sun et al). 2002;87:86-93
Monaghan P (*see* Tufekci et al). 2002;87:80-5
Monaghan P (*see* Wee et al). 2002;87:657-66
Morrison DC, Kubon TM, Anderson J. Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants. 2002;87:679-83
Moss ME (*see* Malmström et al). 2002;87:153-7
Moss ME (*see* Tallents et al). 2002;87:45-50

Mostafavi H (*see* Lindquist et al). 2002;87:319-22
Mou S-H, Chai T, Wang J-S, Shiau Y-Y. Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns. 2002;87:248-55
Munoz CA (*see* Rungcharassaeng et al). 2002;87:173-81

N

Nagasaw S (*see* Ito et al). 2002;87:57-61
Nagy WW, Smithy TJ, Wirth CG. Accuracy of a predetermined transverse horizontal mandibular axis point. 2002;87:387-94
Nagy WW (*see* Rambhia et al). 2002;87:30-9
Nayir E (*see* Sen et al). 2002;87:446-50
Negruţiu M (*see* Rominu et al). 2002;87:620-4
Nelson SK (*see* Wataha et al). 2002;87:94-8
Neto AJF (*see* Mendonça et al). 2002;87:698-9
Neves FD (*see* Mendonça et al). 2002;87:698-9
N'Gom PI, Woda A. Influence of impaired mastication on nutrition. 2002;87:667-73
Nielsen MA (*see* Larson et al). 2002;87:625-7
Nishigawa G, Maruo Y, Okamoto M, Minagi S. Record base for an edentulous maxillary arch with severe undercuts in the labial aspect of the anterior residual ridge. 2002;87:99-101
Noda M (*see* Wataha et al). 2002;87:94-8

O

Oh W-s, Anusavice KJ. Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures. 2002;87:536-42
Oh W-s, DeLong R, Anusavice KJ. Factors affecting enamel and ceramic wear: a literature review. 2002;87:451-9
Okamoto M, Minagi S. Technique for removing a cemented superstructure from an implant abutment. 2002;87:241-2
Okamoto M (*see* Nishigawa et al). 2002;87:99-101
Okuno O (*see* Kim et al). 2002;87:642-9
Olesik JW (*see* Tufekci et al). 2002;87:80-5
Ong JL (*see* Kim et al). 2002;87:642-9
Oshida Y (*see* Ito et al). 2002;87:57-61
Ostry L (*see* Douglass et al). 2002;87:5-8
Otani C (*see* Cavalcanti et al). 2002;87:158-61
Özcan M. The use of chairside silica coating for different dental applications: a clinical report. 2002;87:469-72

P

Palmqvist U (*see* Chaffee et al). 2002;87:40-4
Papazoglou E (*see* Tufekci et al). 2002;87:80-5
Parker MH (*see* Dalvit et al). 2002;87:581-2
Perakis N (*see* Magne et al). 2002;87:516-27
Pesun IJ, Hodges J, Lai JH. Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners. 2002;87:311-8
Pesun IJ (*see* Brosky et al). 2002;87:204-9
Peters MC (*see* Heydecke and Peters). 2002;87:380-6
Phoenix RD (*see* Cecconi et al). 2002;87:277-80
Pipko DJ (*see* Al-Abbas et al). 2002;87:115-6
Poggio CE, Salvato A. Bonded provisional restorations for esthetic soft tissue support in single-implant treatment. 2002;87:688-91
Polyzois G (*see* Yannikakis et al). 2002;87:613-9
Powers JM (*see* Chang et al). 2002;87:271-6
Proussaefs P. Histologic evaluation of a threaded hydroxyapatite-coated root-form implant located at a dehisced maxillary site and retrieved from a human subject: a clinical report. 2002;87:140-4
Proussaefs P. A maxillary screw-retained, implant-supported diagnostic wax pattern. 2002;87:403-6
Proussaefs P. The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses. 2002;87:333-5
Proussaefs P, Lozada J. Evaluation of two Vitallium blade-form implants retrieved after 13 to 21 years of function: a clinical report. 2002;87:412-5
Proussaefs P, Lozada J, Valencia G, Rohrer MD. Histologic evaluation of a hydroxyapatite onlay bone graft retrieved after 9 years: a clinical report. 2002;87:481-4
Proussaefs P (*see* Kammeyer et al). 2002;87:473-6
Psillakis JJ, McAlarney ME, Wright RF, Urquiola J, MacDonald DE. Effect of evaporation and mixing technique on die spacer thickness: a preliminary study (2001;85:????). 2002;87:132 (Correction)
Pullinger AG, Seligman DA, John MT, Harkins S. Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships. 2002;87:298-310
Pullinger AG, Seligman DA, John MT, Harkins S. Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints. 2002;87:289-97

Q

Quinlan PE. Technique to help verify the accuracy of a stone cast for fabrication of a multiple-unit fixed prosthesis. 2002;87:462-3

R

Rambhia SK, Nagy WW, Fournelle RA, Dhuru VB. Defects in hexed gold prosthetic screws: a metallographic and tensile analysis. 2002;87:30-9
Reeson MG, Jepson NJA. Customizing the size of toothbrush handles for patients with restricted hand and finger movement. 2002;87:700
Reinhardt SB (*see* Jahangiri et al). 2002;87:149-52
Reitemeier B, Hänsel K, Walter MH, Kastner C, Toutenburg H. Effect of posterior crown margin placement on gingival health. 2002;87:167-72
Reitemeier B, Reitemeier G, Schmidt A, Schaal W, Blochberger P, Lehmann D, Herrmann T. Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field. 2002;87:323-7
Reitemeier G (*see* Reitemeier et al). 2002;87:323-7
Richards LC (*see* Shabanian and Richards). 2002;87:650-6
Rignon-Bret C, Dupuis R, Gaudy J-F. Application of a 3-dimensional measurement system to complete denture impressions. 2002;87:603-12
Rilo B, da Silva JL, Martinez-Insua A, Santana U. A titanium and visible light-polymerized resin obturator. 2002;87:407-9
Rode SM (*see* Cavalcanti et al). 2002;87:158-61
Rohrer MD (*see* Proussaefs et al). 2002;87:481-4
Rominu M, Lakatos S, Florica Z, Negruţiu M. Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials. 2002;87:620-4
Rothenberger SL (*see* Sigurgeirsdottir et al). 2002;87:477-80
Roumanas ED, Garrett NR, Hamada MO, Diener RM, Kapur KK. A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons. 2002;87:62-73
Rubenstein JE (*see* Goto et al). 2002;87:578-80
Rueggeberg FA. From vulcanite to vinyl, a history of resins in restorative dentistry. 2002;87:364-79
Rugh JD (*see* Shinkai et al). 2002;87:490-8
Rungcharassaeng K, Lozada JL, Kan JYK, Kim JS, Campagni WV, Munoz CA. Peri-implant tissue response of immediately loaded, threaded, HA-coated implants: 1-year results. 2002;87:173-81
Rungcharassaeng K (*see* Kan et al). 2002;87:485-9

S

Sahiwal IG, Woody RD, Benson BW, Guillen GE. Macro design morphology of endosseous dental implants. 2002;87:543-51
Sahiwal IG, Woody RD, Benson BW, Guillen GE. Radiographic identification of nonthreaded endosseous dental implants. 2002;87:552-62
Sahiwal IG, Woody RD, Benson BW, Guillen GE. Radiographic identification of threaded endosseous dental implants. 2002;87:563-77
Sakai S (*see* Shinkai et al). 2002;87:490-8
Salvato A (*see* Poggio and Salvato). 2002;87:688-91
Sanchez R (*see* Malmström et al). 2002;87:153-7
Santana U (*see* Rilo et al). 2002;87:407-9
Saunders MJ (*see* Shinkai et al). 2002;87:490-8
Schaaf NG (*see* Tapia et al). 2002;87:106-9
Schaal W (*see* Reitemeier et al). 2002;87:323-7
Schmidt A (*see* Reitemeier et al). 2002;87:323-7
Schmitz JH (*see* Ferrario et al). 2002;87:210-5
Šegović S, Ferk S, Anić I, Jukić S, Galić N, Sistig S. Changes in dentin after insertion of self-threading titanium pins with 3 methods: a scanning electron microscope pilot study. 2002;87:182-8
Seligman DA (*see* Pullinger et al). 2002;87:289-97
Seligman DA (*see* Pullinger et al). 2002;87:298-310
Sen D, Nayir E, Çetiner F. Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins. 2002;87:446-50
Serrao G (*see* Ferrario et al). 2002;87:210-5
Sevük Ç (*see* Gür et al). 2002;87:464-5
Sforza C (*see* Ferrario et al). 2002;87:210-5
Shabanian M, Richards LC. In vitro wear rates of materials under different loads and varying pH. 2002;87:650-6
Shahrasbi AH, Hansen CA. Surgical oral radiographic guide with a removable component for implant placement. 2002;87:330-2
Shen Y-F (*see* Ku et al). 2002;87:695
Shiau Y-Y (*see* Mou et al). 2002;87:248-55
Shih A (*see* Douglass et al). 2002;87:5-8
Shinkai RSA, Hatch JP, Rugh JD, Sakai S, Mobley CC, Saunders MJ. Dietary intake in edentulous subjects with good and poor quality complete dentures. 2002;87:490-8
Shor A (*see* Goto et al). 2002;87:578-80
Sigurgeirsdottir E, Minsely GE, Rothenberger SL. Incorporation of an ERA attachment for obturator framework design: a clinical report. 2002;87:477-80
Simon H. Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement. 2002;87:229-32
Sistig S (*see* Šegović et al). 2002;87:182-8
Slutsky-Goldberg I (*see* Heling et al). 2002;87:674-8
Slutzky H (*see* Heling et al). 2002;87:674-8
Smidt A. Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report. 2002;87:598-602
Smith R (*see* Chaffee et al). 2002;87:40-4
Smithy TJ (*see* Nagy et al). 2002;87:387-94
Sorensen JA (*see* Edelhoff and Sorensen). 2002;87:503-9
Stanford CM (*see* Lindquist et al). 2002;87:319-22
Sterle M (*see* Kopač et al). 2002;87:51-6
Strub JR (*see* Heydecke et al). 2002;87:438-45
Sun D, Monaghan P, Brantley WA, Johnston WM. Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media. 2002;87:86-93
Sung EC, Tai ET, Chen T, Caputo AA. Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength. 2002;87:628-32

T

Tai ET (*see* Sung et al). 2002;87:628-32
Tallents RH, Macher DJ, Kyrkanides S, Katzberg RW, Moss ME. Prevalence of missing posterior teeth and intraarticular temporomandibular disorders. 2002;87:45-50
Tapia G, Casey D, Schaaf NG. Conversion of an interim into a definitive speech aid: a predictable approach. 2002;87:106-9
Tarlow JL. Procedure for obtaining proper contour of an implant-supported crown: a clinical report. 2002;87:416-8
Thielke SM (*see* Frank et al). 2002;87:15-22
Thompson GA. Letter. 2002;87:467
Toutenburg H (*see* Reitemeier et al). 2002;87:167-72
Tufekci E, Mitchell JC, Olesik JW, Brantley WA, Papazoglou E, Monaghan P. Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium. 2002;87:80-5

V

Valencia G (*see* Proussaefs et al). 2002;87:481-4
Vargas MA (*see* Haselton et al). 2002;87:225-8

W

Walter MH (*see* Reitemeier et al). 2002;87:167-72
Wang J-S (*see* Mou et al). 2002;87:248-55
Wang R-F (*see* Lang et al). 2002;87:74-9
Wataha JC. Alloys for prosthodontic restorations. 2002;87:351-63
Wataha JC, Lockwood PE, Noda M, Nelson SK, Mettenburg DJ. Effect of toothbrushing on the toxicity of casting alloys. 2002;87:94-8
Watson AJ (*see* Douglass and Watson). 2002;87:9-14
Wee AG, Cheng AC, Eskridge RN. Accuracy of 3 conceptually different die systems used for implant casts. 2002;87:23-9
Wee AG, Monaghan P, Johnston WM. Variation in color between intended matched shade and fabricated shade of dental porcelain. 2002;87:657-66
Wirth CG (*see* Nagy et al). 2002;87:387-94
Woda A (*see* N'Gom and Woda). 2002;87:667-73
Wong SX (*see* Chaimattayompol et al). 2002;87:684-7
Woody RD (*see* Sahiwal et al). 2002;87:543-51
Woody RD (*see* Sahiwal et al). 2002;87:552-62
Woody RD (*see* Sahiwal et al). 2002;87:563-77

X

Xie X-J (*see* Lindquist et al). 2002;87:319-22

Y

Yagasaki H (*see* Ito et al). 2002;87:57-61
Yannikakis S, Zissis A, Polyzois G, Andreopoulos A. Evaluation of porosity in microwave-processed acrylic resin using a photographic method. 2002;87:613-9
Yoshida K. Oral device therapy for the upper airway resistance syndrome patient. 2002;87:427-30
Yoshida T (*see* Ito et al). 2002;87:57-61
Yoshinobu D (*see* Guichet et al). 2002;87:528-35

Z

Zalkind M (*see* Heling et al). 2002;87:674-8
Zauza K (*see* Celar et al). 2002;87:145-8
Ziskind D (*see* Geron and Ziskind). 2002;87:125-8
Zissis A (*see* Yannikakis et al). 2002;87:613-9

Index to volume 87

Subject index*

A

Abrasion

Abrasion resistance of a resin-impregnated type IV gypsum in comparison to conventional products (Lindquist et al). 2002;87:319-22

Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9

Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7

Abutments

Block-out prior to pick-up impression of overdenture with ERA attachments (Ku et al). 2002;87:695

Composite implant abutment analogs for solid casts (Dumbrigue). 2002;87:410

A customized guide for transferring angled abutments (Mendonça et al). 2002;87:698-9

The influence of abutment screw tightening on screw joint configuration (Lang et al). 2002;87:74-9

A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6

A positioning jig to verify the accuracy of implant abutments (Al-Abbas et al). 2002;87:115-6

Procedure for obtaining proper contour of an implant-supported crown: a clinical report (Tarlow). 2002;87:416-8

Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402

A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations (Chaimattayompol et al). 2002;87:684-7

Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27

Technique for removing a cemented superstructure from an implant abutment (Okamoto and Minagi). 2002;87:241-2

A transfer method for multiple cement-retained implant restorations (Mirfazaelian). 2002;87:692-4

The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses (Proussaefs). 2002;87:333-5

Acetone

Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41

Acid

In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6

Acid etching

Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32

Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41

Acoustic neurinoma; *see* Neuroma, acoustic

Acrylic resins

Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9

Locking retentive attachment for an implant-retained auricular prosthesis (Lemon and Chambers). 2002;87:336-8

A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6

4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24

Treatment of an edentulous patient with surgically induced microstomia: a clinical report (Al-Hadi and Abbas). 2002;87:423-6

Active triangulation

Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns (Mou et al). 2002;87:248-55

Adhesion

Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32

The effect of two different coatings on the surface integrity and softness of a tissue conditioner (Malmström et al). 2002;87:153-7

Adhesives

Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96

Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns (Mou et al). 2002;87:248-55

4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24

Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7

Simplified clinical procedure for fitting and removing inlays/onlays prior to cementation (Geissberger et al). 2002;87:395-8

Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27

The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Adolescence

Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Airborne particle abrasion

The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Airway resistance

Oral device therapy for the upper airway resistance syndrome patient (Yoshida). 2002;87:427-30

Alloys

Alloys for prosthodontic restorations (Wataha). 2002;87:351-63

Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80

Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6

*January, pp. 1-124; Februrary 125-244; March, 245-348; April, 349-468, May, 469-586; June 587-728

Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72
Effect of toothbrushing on the toxicity of casting alloys (Wataha et al). 2002;87:94-8
Evaluation of two Vitallium blade-form implants retrieved after 13 to 21 years of function: a clinical report (Proussaefs and Lozada). 2002;87:412-5
Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4
Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media (Sun et al). 2002;87:86-93
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Aluminum chloride
Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Alveolar ridge augmentation
Histologic evaluation of a hydroxyapatite onlay bone graft retrieved after 9 years: a clinical report (Proussaefs et al). 2002;87:481-4
Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32

Amalgam
Alloys for prosthodontic restorations (Wataha). 2002;87:351-63
Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins (Sen et al). 2002;87:446-50

American College of Prosthodontists
ACP Education Foundation kicks off fund-raising campaign (Ferencz). 2002;87:349-50

Animal models
Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Antimicrobials
The effect of two different coatings on the surface integrity and softness of a tissue conditioner (Malmström et al). 2002;87:153-7

Articulators
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94
Three-dimensional assessment of the reliability of a postural face-bow transfer (Ferrario et al). 2002;87:210-5

Artificial tooth; *see* Tooth, artificial

Attrition; *see* Abrasion

Auricular prosthesis
Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83
Locking retentive attachment for an implant-retained auricular prosthesis (Lemon and Chambers). 2002;87:336-8

Axis
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94

B

Biocompatible materials
Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80
Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5
4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24
Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media (Sun et al). 2002;87:86-93

Block-out method
Block-out prior to pick-up impression of overdenture with ERA attachments (Ku et al). 2002;87:695

Bond strength
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins (Sen et al). 2002;87:446-50
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6

Bonding
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
Changes in dentin after insertion of self-threading titanium pins with 3 methods: a scanning electron microscope pilot study (Segović et al). 2002;87:182-8
Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24
Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins (Sen et al). 2002;87:446-50
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Bone nails
Changes in dentin after insertion of self-threading titanium pins with 3 methods: a scanning electron microscope pilot study (Segović et al). 2002;87:182-8
Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins (Sen et al). 2002;87:446-50

Bone screws
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Defects in hexed gold prosthetic screws: a metallographic and tensile analysis (Rambhia et al). 2002;87:30-9
The influence of abutment screw tightening on screw joint configuration (Lang et al). 2002;87:74-9
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6

A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations (Chaimattayompol et al). 2002;87:684-7
Techniques to minimize excess luting agent in cement-retained implant restorations (Dumbrigue et al). 2002;87:112-4
A transfer method for multiple cement-retained implant restorations (Mirfazaelian). 2002;87:692-4

Bone transplantation
Histologic evaluation of a hydroxyapatite onlay bone graft retrieved after 9 years: a clinical report (Proussaefs et al). 2002;87:481-4

Broadrick flag
Prosthodontic management of the curve of Spee: use of the Broadrick flag (Lynch and McConnell). 2002;87:593-7

Bruxism
No association between incisal tooth wear and temporomandibular disorders (John et al). 2002;87:197-203

C

Calcium sulfate
Abrasion resistance of a resin-impregnated type IV gypsum in comparison to conventional products (Lindquist et al). 2002;87:319-22
The accuracy of dual-arch impressions: a pilot study (Larson et al). 2002;87:625-7
A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5
Technique to help verify the accuracy of a stone cast for fabrication of a multiple-unit fixed prosthesis (Quinlan). 2002;87:462-3
Tensile strength of type IV dental stones dried in a microwave oven (Hersek et al). 2002;87:499-502

Casting investment
Accurately locating the components of a fixed partial denture prior to soldering the connector: an intraoral technique (Lynch and McConnell). 2002;87:460-1
Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
Effect of toothbrushing on the toxicity of casting alloys (Wataha et al). 2002;87:94-8
Effect of wax melting range and investment liquid concentration on the accuracy of a three-quarter crown casting (Ito et al). 2002;87:57-61
Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5

Casting technique
Accuracy of 3 conceptually different die systems used for implant casts (Wee et al). 2002;87:23-9
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94
A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5
Composite implant abutment analogs for solid casts (Dumbrigue). 2002;87:410
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
A customized guide for transferring angled abutments (Mendonça et al). 2002;87:698-9
Effect of wax melting range and investment liquid concentration on the accuracy of a three-quarter crown casting (Ito et al). 2002;87:57-61
The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22
Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9
Procedure for obtaining proper contour of an implant-supported crown: a clinical report (Tarlow). 2002;87:416-8
The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6
Three-dimensional assessment of the reliability of a postural facebow transfer (Ferrario et al). 2002;87:210-5

Cavity preparation
Alternative method for standardized tooth preparation (Gür et al). 2002;87:464-5
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9

Cements
Fabrication of a provisional restoration after fracture of an anterior crown (Lynch and McConnell). 2002;87:339-40
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns (Mou et al). 2002;87:248-55
Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7
A positioning jig to verify the accuracy of implant abutments (Al-Abbas et al). 2002;87:115-6
Technique for removing a cemented superstructure from an implant abutment (Okamoto and Minagi). 2002;87:241-2
Techniques to minimize excess luting agent in cement-retained implant restorations (Dumbrigue et al). 2002;87:112-4
A transfer method for multiple cement-retained implant restorations (Mirfazaelian). 2002;87:692-4
The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses (Proussaefs). 2002;87:333-5

Ceramics
An alternate method of verifying the seating of all-ceramic restorations (Keys). 2002;87:411
Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96
Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42
Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27

Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Chemical retraction
Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Chewing; *see* Mastication

Chromium
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Cigarette smoking
Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9

Clasps
Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Cobalt
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Colloids
The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22

Color
The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Relationship between tooth shade value and skin color: an observational study (Jahangiri et al). 2002;87:149-52
Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402
Variation in color between intended matched shade and fabricated shade of dental porcelain (Wee et al). 2002;87:657-66

Complete denture; *see* Denture, complete

Composite resins
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9
The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Computers
Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9

Connective tissue
Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32

Contamination
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
The effect of two different coatings on the surface integrity and softness of a tissue conditioner (Malmström et al). 2002;87:153-7

Correction
Effect of evaporation and mixing technique on die spacer thickness: a preliminary study (Psillakis et al) (2001;85:???). 2002;87:132
A laboratory technique for custom incisal guidance (Carrier) (2001;86:??). 2002;87:128

Corrosion
Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5
Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media (Sun et al). 2002;87:86-93

Craniofacial prosthesis
Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83

Craniomandibular disorders
Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships (Pullinger et al). 2002;87:298-310
Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints (Pullinger et al). 2002;87:289-97
No association between incisal tooth wear and temporomandibular disorders (John et al). 2002;87:197-203
Prevalence of missing posterior teeth and intraarticular temporomandibular disorders (Tallents et al). 2002;87:45-50

Crowns
Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96
A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72

Effect of splinting and interproximal contact tightness on load transfer by implant restorations (Guichet et al). 2002;87:528-35
Effect of wax melting range and investment liquid concentration on the accuracy of a three-quarter crown casting (Ito et al). 2002;87:57-61
Fabrication of a provisional restoration after fracture of an anterior crown (Lynch and McConnell). 2002;87:339-40
Flexural strength of provisional crown and fixed partial denture resins (Haselton et al). 2002;87:225-8
Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns (Mou et al). 2002;87:248-55
Procedure for obtaining proper contour of an implant-supported crown: a clinical report (Tarlow). 2002;87:416-8
Relationship between crown placement and the survival of endodontically treated teeth (Aquilino and Caplan). 2002;87:256-63
Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9
Variation in color between intended matched shade and fabricated shade of dental porcelain (Wee et al). 2002;87:657-66

Curriculum
Will there be a need for complete dentures in the United States in 2020? (Douglass et al). 2002;87:5-8

Curve of Spee
Prosthodontic management of the curve of Spee: use of the Broadrick flag (Lynch and McConnell). 2002;87:593-7

D

Debonding
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92

Degenerative joint disease
Prevalence of missing posterior teeth and intraarticular temporomandibular disorders (Tallents et al). 2002;87:45-50

Dental arch
The accuracy of dual-arch impressions: a pilot study (Larson et al). 2002;87:625-7
A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5
Record base for an edentulous maxillary arch with severe undercuts in the labial aspect of the anterior residual ridge (Nishigawa et al). 2002;87:99-101

Dental articulators; *see* Articulators

Dental casting technique; *see* Casting technique

Dental education; *see* Education

Dental impression materials; *see* Impression materials

Dental materials
Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80
Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5
4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24
Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media (Sun et al). 2002;87:86-93
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
From vulcanite to vinyl, a history of resins in restorative dentistry (Rueggeberg). 2002;87:364-79

Dental onlays; *see* Inlays

Dental pulp
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61

Dental stone; *see* Calcium sulfate

Dentin
Changes in dentin after insertion of self-threading titanium pins with 3 methods: a scanning electron microscope pilot study (Segović et al). 2002;87:182-8
Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41
Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins (Sen et al). 2002;87:446-50

Denture, complete
Application of a 3-dimensional measurement system to complete denture impressions (Rignon-Bret et al). 2002;87:603-12
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Dietary intake in edentulous subjects with good and poor quality complete dentures (Shinkai et al). 2002;87:490-8
Stafne's bone cavity and its utilization in complete denture retention (Jahangiri et al). 2002;87:245-7
Treatment of an edentulous patient with surgically induced microstomia: a clinical report (Al-Hadi and Abbas). 2002;87:423-6
Will there be a need for complete dentures in the United States in 2020? (Douglass et al). 2002;87:5-8

Denture, overlay
Block-out prior to pick-up impression of overdenture with ERA attachments (Ku et al). 2002;87:695
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6
Peri-implant tissue response of immediately loaded, threaded, HA-coated implants: 1-year results (Rungcharassaeng et al). 2002;87:173-81
Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73

Denture, partial
Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80
Onlay partial denture technique for assessment of adequate

occlusal vertical dimension: a clinical report (Jahangiri and Jang). 2002;87:1-4
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22

Denture, partial, fixed
Accurately locating the components of a fixed partial denture prior to soldering the connector: an intraoral technique (Lynch and McConnell). 2002;87:460-1
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602
Flexural strength of provisional crown and fixed partial denture resins (Haselton et al). 2002;87:225-8
Future needs for fixed and removable partial dentures in the United States (Douglass and Watson). 2002;87:9-14
Implant-supported, long-span fixed partial denture for a scleroderma patient: a clinical report (Haas). 2002;87:136-9
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6
A positioning jig to verify the accuracy of implant abutments (Al-Abbas et al). 2002;87:115-6
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Technique to help verify the accuracy of a stone cast for fabrication of a multiple-unit fixed prosthesis (Quinlan). 2002;87:462-3
The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses (Proussaefs). 2002;87:333-5

Denture, partial, removable
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602
Future needs for fixed and removable partial dentures in the United States (Douglass and Watson). 2002;87:9-14
Incorporation of an ERA attachment for obturator framework design: a clinical report (Sigurgeirsdottir et al). 2002;87:477-80
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402

Denture, partial, temporary
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6

Denture, precision attachment
Block-out prior to pick-up impression of overdenture with ERA attachments (Ku et al). 2002;87:695
Incorporation of an ERA attachment for obturator framework design: a clinical report (Sigurgeirsdottir et al). 2002;87:477-80

Denture, temporary
A procedure for making trial dentures (Mamoun). 2002;87:328-9

Denture bases
Application of a 3-dimensional measurement system to complete denture impressions (Rignon-Bret et al). 2002;87:603-12
Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8
Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9
Treatment of an edentulous patient with surgically induced microstomia: a clinical report (Al-Hadi and Abbas). 2002;87:423-6

Denture fabrication
A modified occlusal plane device (Husseinovitch and Chidiac). 2002;87:240

Denture liners
Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8

Denture retention
Stafne's bone cavity and its utilization in complete denture retention (Jahangiri et al). 2002;87:245-7

Diabetes mellitus
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73

Diet
Dietary intake in edentulous subjects with good and poor quality complete dentures (Shinkai et al). 2002;87:490-8
Influence of impaired mastication on nutrition (N'Gom and Woda). 2002;87:667-73
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73

Digestion
Influence of impaired mastication on nutrition (N'Gom and Woda). 2002;87:667-73

Digitization
Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9

Discoloration
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92

Distraction osteogenesis; *see* Osteogenesis

Documentation
Documentation of maxillomandibular relationships during dental photography (Keys and Agar). 2002;87:466

E

Ectodermal dysplasia
Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Education
ACP Education Foundation kicks off fund-raising campaign (Ferencz). 2002;87:349-50
Will there be a need for complete dentures in the United States in 2020? (Douglass et al). 2002;87:5-8
Elastomers; *see* Rubber
Electron microscopy; *see* Microscopy, electron
Electrons
Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7
Enamel
Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
Endodontics
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
Relationship between crown placement and the survival of endodontically treated teeth (Aquilino and Caplan). 2002;87:256-63
Resistance to fracture of endodontically treated teeth resotred with different post systems (Akkayan and Gülmez). 2002;87:431-7
The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6
Endosseous implants; *see* Implantation, endosseous
Esthetics
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602
Fabrication of a provisional restoration after fracture of an anterior crown (Lynch and McConnell). 2002;87:339-40
Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report (Geron and Ziskind). 2002;87:125-8
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6
4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24
Relationship between tooth shade value and skin color: an observational study (Jahangiri et al). 2002;87:149-52
Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402
Techniques to minimize excess luting agent in cement-retained implant restorations (Dumbrigue et al). 2002;87:112-4
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32
Variation in color between intended matched shade and fabricated shade of dental porcelain (Wee et al). 2002;87:657-66
Extraoral traction appliances
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94
Three-dimensional assessment of the reliability of a postural face-bow transfer (Ferrario et al). 2002;87:210-5

F

Face bow; *see* Extraoral traction appliances
Filler
The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9
Finishing
Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8
Finite element analysis
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Fixed partial denture; *see* Denture, partial, fixed
Fixed restoration; *see* Restoration, permanent
Flexural strength
The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9
Flexural strength of provisional crown and fixed partial denture resins (Haselton et al). 2002;87:225-8
Food preferences
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73
Forced eruption
Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report (Geron and Ziskind). 2002;87:125-8
Forecasting
Future needs for fixed and removable partial dentures in the United States (Douglass and Watson). 2002;87:9-14
Will there be a need for complete dentures in the United States in 2020? (Douglass et al). 2002;87:5-8
Foundations
ACP Education Foundation kicks off fund-raising campaign (Ferencz). 2002;87:349-50
Fracture
Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42
The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9
Fabrication of a provisional restoration after fracture of an anterior crown (Lynch and McConnell). 2002;87:339-40
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
Maxillary and mandibular overlay removable partial dentures for

the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Resistance to fracture of endodontically treated teeth resotred with different post systems (Akkayan and Gülmez). 2002;87:431-7
The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Fund raising
ACP Education Foundation kicks off fund-raising campaign (Ferencz). 2002;87:349-50

Future; *see* Forecasting

G

Gingiva
Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96
Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42
Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72
Procedure for obtaining proper contour of an implant-supported crown: a clinical report (Tarlow). 2002;87:416-8

Glass
Resistance to fracture of endodontically treated teeth resotred with different post systems (Akkayan and Gülmez). 2002;87:431-7

Glass ionomer cements
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6

Gold
Defects in hexed gold prosthetic screws: a metallographic and tensile analysis (Rambhia et al). 2002;87:30-9
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media (Sun et al). 2002;87:86-93

Gold alloys
Alloys for prosthodontic restorations (Wataha). 2002;87:351-63
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6

Guides
A customized guide for transferring angled abutments (Mendonça et al). 2002;87:698-9
A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5
Surgical oral radiographic guide with a removable component for implant placement (Shahrasbi and Hansen). 2002;87:330-2
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32

Gutta-percha
From vulcanite to vinyl, a history of resins in restorative dentistry (Rueggeberg). 2002;87:364-79

Gypsum; *see* Calcium sulfate

H

Head and neck neoplasms
Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7

Healing
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602
The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses (Proussaefs). 2002;87:333-5

Healthy Eating Index
Dietary intake in edentulous subjects with good and poor quality complete dentures (Shinkai et al). 2002;87:490-8

Heat
Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
Tensile strength of type IV dental stones dried in a microwave oven (Hersek et al). 2002;87:499-502
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

High-speed instruments
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61

Histological techniques
Histologic evaluation of a hydroxyapatite onlay bone graft retrieved after 9 years: a clinical report (Proussaefs et al). 2002;87:481-4
Histologic evaluation of a threaded hydroxyapatite-coated root-form implant located at a dehisced maxillary site and retrieved from a human subject: a clinical report (Proussaefs). 2002;87:140-4

Hydrocolloids
The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22

Hydrogen ion concentration
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6

Hydroxyapatites
Evaluation of two Vitallium blade-form implants retrieved after 13 to 21 years of function: a clinical report (Proussaefs and Lozada). 2002;87:412-5
Histologic evaluation of a hydroxyapatite onlay bone graft retrieved after 9 years: a clinical report (Proussaefs et al). 2002;87:481-4
Histologic evaluation of a threaded hydroxyapatite-coated root-form implant located at a dehisced maxillary site and retrieved from a human subject: a clinical report (Proussaefs). 2002;87:140-4
Peri-implant tissue response of immediately loaded, threaded, HA-coated implants: 1-year results (Rungcharassaeng et al). 2002;87:173-81

Hypodentia
Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

I

Identification

Macro design morphology of endosseous dental implants (Sahiwal et al). 2002;87:543-51

Radiographic identification of nonthreaded endosseous dental implants (Sahiwal et al). 2002;87:552-62

Radiographic identification of threaded endosseous dental implants (Sahiwal et al). 2002;87:563-77

Implantation, endosseous

Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83

Peri-implant tissue response of immediately loaded, threaded, HA-coated implants: 1-year results (Rungcharassaeng et al). 2002;87:173-81

Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4

A review of guidelines for implant rehabilitation of the edentulous maxilla (Henry). 2002;87:281-8

Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Implants

Accuracy of 3 conceptually different die systems used for implant casts (Wee et al). 2002;87:23-9

Alloys for prosthodontic restorations (Wataha). 2002;87:351-63

Composite implant abutment analogs for solid casts (Dumbrigue). 2002;87:410

Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6

A customized guide for transferring angled abutments (Mendonça et al). 2002;87:698-9

Defects in hexed gold prosthetic screws: a metallographic and tensile analysis (Rambhia et al). 2002;87:30-9

Effect of splinting and interproximal contact tightness on load transfer by implant restorations (Guichet et al). 2002;87:528-35

Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602

Evaluation of two Vitallium blade-form implants retrieved after 13 to 21 years of function: a clinical report (Proussaefs and Lozada). 2002;87:412-5

Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83

Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9

Histologic evaluation of a threaded hydroxyapatite-coated root-form implant located at a dehisced maxillary site and retrieved from a human subject: a clinical report (Proussaefs). 2002;87:140-4

Implant-supported, long-span fixed partial denture for a scleroderma patient: a clinical report (Haas). 2002;87:136-9

Locking retentive attachment for an implant-retained auricular prosthesis (Lemon and Chambers). 2002;87:336-8

Macro design morphology of endosseous dental implants (Sahiwal et al). 2002;87:543-51

A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6

A modified implant impression technique (Matsushita and Kihara). 2002;87:343-4

A positioning jig to verify the accuracy of implant abutments (Al-Abbas et al). 2002;87:115-6

Procedure for obtaining proper contour of an implant-supported crown: a clinical report (Tarlow). 2002;87:416-8

Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4

Radiographic identification of nonthreaded endosseous dental implants (Sahiwal et al). 2002;87:552-62

Radiographic identification of threaded endosseous dental implants (Sahiwal et al). 2002;87:563-77

A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73

A review of guidelines for implant rehabilitation of the edentulous maxilla (Henry). 2002;87:281-8

A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations (Chaimattayompol et al). 2002;87:684-7

A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5

Surgical oral radiographic guide with a removable component for implant placement (Shahrasbi and Hansen). 2002;87:330-2

Technique for removing a cemented superstructure from an implant abutment (Okamoto and Minagi). 2002;87:241-2

Techniques to minimize excess luting agent in cement-retained implant restorations (Dumbrigue et al). 2002;87:112-4

A transfer method for multiple cement-retained implant restorations (Mirfazaelian). 2002;87:692-4

Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32

The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses (Proussaefs). 2002;87:333-5

Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32

Impression materials

The accuracy of dual-arch impressions: a pilot study (Larson et al). 2002;87:625-7

A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5

The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22

Technique to help verify the accuracy of a stone cast for fabrication of a multiple-unit fixed prosthesis (Quinlan). 2002;87:462-3

Impression technique

Application of a 3-dimensional measurement system to complete denture impressions (Rignon-Bret et al). 2002;87:603-12

Block-out prior to pick-up impression of overdenture with ERA attachments (Ku et al). 2002;87:695

A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5

Composite implant abutment analogs for solid casts (Dumbrigue). 2002;87:410

A customized guide for transferring angled abutments (Mendonça et al). 2002;87:698-9
Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9
A modified implant impression technique (Matsushita and Kihara). 2002;87:343-4
A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations (Chaimattayompol et al). 2002;87:684-7
A transfer method for multiple cement-retained implant restorations (Mirfazaelian). 2002;87:692-4

Incisor
No association between incisal tooth wear and temporomandibular disorders (John et al). 2002;87:197-203

Inlay casting wax
Effect of wax melting range and investment liquid concentration on the accuracy of a three-quarter crown casting (Ito et al). 2002;87:57-61

Inlays
Alternative method for standardized tooth preparation (Gür et al). 2002;87:464-5
Histologic evaluation of a hydroxyapatite onlay bone graft retrieved after 9 years: a clinical report (Proussaefs et al). 2002;87:481-4
Onlay partial denture technique for assessment of adequate occlusal vertical dimension: a clinical report (Jahangiri and Jang). 2002;87:1-4
Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7
Simplified clinical procedure for fitting and removing inlays/onlays prior to cementation (Geissberger et al). 2002;87:395-8
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Instruments
Alternative method for standardized tooth preparation (Gür et al). 2002;87:464-5
Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61
Prosthodontic management of the curve of Spee: use of the Broadrick flag (Lynch and McConnell). 2002;87:593-7
A reverse-angle dental mirror (Dimashkieh). 2002;87:345-6

Irreversible hydrocolloids; *see* Hydrocolloids

Irrigation
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32

J

Jaw, edentulous
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Prevalence of missing posterior teeth and intraarticular temporomandibular disorders (Tallents et al). 2002;87:45-50
Record base for an edentulous maxillary arch with severe undercuts in the labial aspect of the anterior residual ridge (Nishigawa et al). 2002;87:99-101
A review of guidelines for implant rehabilitation of the edentulous maxilla (Henry). 2002;87:281-8
A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32

Jaw relation record
Documentation of maxillomandibular relationships during dental photography (Keys and Agar). 2002;87:466
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80

Joint diseases
Prevalence of missing posterior teeth and intraarticular temporomandibular disorders (Tallents et al). 2002;87:45-50

Juvenile; *see* Adolescence

K

Keratinocytes
Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Kinematics
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94

L

Laryngectomy
Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique (Lemon et al). 2002;87:236-9

Lasers
Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9

Leakage
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4

Leucite
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Light
The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70

Light-polymerized resin
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9

Lingual orthodontics
Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report (Geron and Ziskind). 2002;87:125-8

Luting agent
Techniques to minimize excess luting agent in cement-retained implant restorations (Dumbrigue et al). 2002;87:112-4

M

Malocclusion
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Mandible
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94
Application of a 3-dimensional measurement system to complete denture impressions (Rignon-Bret et al). 2002;87:603-12
Documentation of maxillomandibular relationships during dental photography (Keys and Agar). 2002;87:466
Stafne's bone cavity and its utilization in complete denture retention (Jahangiri et al). 2002;87:245-7
A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32
Mandibular condyle
Prosthodontic management of the curve of Spee: use of the Broadrick flag (Lynch and McConnell). 2002;87:593-7
Mandibular prosthesis
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73
Treatment of an edentulous patient with surgically induced microstomia: a clinical report (Al-Hadi and Abbas). 2002;87:423-6
Marginal adaptation
Accurately locating the components of a fixed partial denture prior to soldering the connector: an intraoral technique (Lynch and McConnell). 2002;87:460-1
An alternate method of verifying the seating of all-ceramic restorations (Keys). 2002;87:411
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72
Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns (Mou et al). 2002;87:248-55
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4
Mass spectroscopy; *see* Spectrum analysis, mass
Mastication
Dietary intake in edentulous subjects with good and poor quality complete dentures (Shinkai et al). 2002;87:490-8
Effect of splinting and interproximal contact tightness on load transfer by implant restorations (Guichet et al). 2002;87:528-35
Influence of impaired mastication on nutrition (N'Gom and Woda). 2002;87:667-73
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73
Maxilla
Accuracy of a predetermined transverse horizontal mandibular axis point (Nagy et al). 2002;87:387-94
Documentation of maxillomandibular relationships during dental photography (Keys and Agar). 2002;87:466
Histologic evaluation of a threaded hydroxyapatite-coated root-form implant located at a dehisced maxillary site and retrieved from a human subject: a clinical report (Proussaefs). 2002;87:140-4
The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6
Record base for an edentulous maxillary arch with severe undercuts in the labial aspect of the anterior residual ridge (Nishigawa et al). 2002;87:99-101
A review of guidelines for implant rehabilitation of the edentulous maxilla (Henry). 2002;87:281-8
Three-dimensional assessment of the reliability of a postural face-bow transfer (Ferrario et al). 2002;87:210-5
Maxillary prosthesis
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22
Maxillary sinuses
Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9
Maxillofacial prosthesis
Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9
Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique (Lemon et al). 2002;87:236-9
Mechanical properties
Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42
The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Metal ceramic alloys
Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9

The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32

Metallography
Defects in hexed gold prosthetic screws: a metallographic and tensile analysis (Rambhia et al). 2002;87:30-9

Methacrylates
Flexural strength of provisional crown and fixed partial denture resins (Haselton et al). 2002;87:225-8

4-methacryloyloxyethy trimellitate anhydride
4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24

Microleakage
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4

Microscopy, electron
Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Microscopy, electron, scanning
Changes in dentin after insertion of self-threading titanium pins with 3 methods: a scanning electron microscope pilot study (Segović et al). 2002;87:182-8

Microstomia
Treatment of an edentulous patient with surgically induced microstomia: a clinical report (Al-Hadi and Abbas). 2002;87:423-6

Microwaves
Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9
Tensile strength of type IV dental stones dried in a microwave oven (Hersek et al). 2002;87:499-502

Mirror
A reverse-angle dental mirror (Dimashkieh). 2002;87:345-6

Models, anatomic
Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships (Pullinger et al). 2002;87:298-310
Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints (Pullinger et al). 2002;87:289-97

Models, educational
Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83

Mouth, edentulous
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6

Multifactorial analysis
Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships (Pullinger et al). 2002;87:298-310
Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints (Pullinger et al). 2002;87:289-97

N

Neurilemmona
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22

Neurological disorders
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22

Neuroma, acoustic
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22

Neutral zone
Prosthodontic management of a patient with neurological disorders after resection of an acoustic neurinoma: a clinical report (Karkazis). 2002;87:419-22

Nutrition
Dietary intake in edentulous subjects with good and poor quality complete dentures (Shinkai et al). 2002;87:490-8
Influence of impaired mastication on nutrition (N'Gom and Woda). 2002;87:667-73
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73

O

Obstructive sleep apnea; *see* Sleep apnea syndromes
Obturator; *see* Palatal obturators

Occlusal plane
A modified occlusal plane device (Husseinovitch and Chidiac). 2002;87:240

Occlusion
Assessment of occlusal reduction during preparation of teeth for fixed restorations (Lynch and McConnell). 2002;87:110-1
Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42
Effect of splinting and interproximal contact tightness on load transfer by implant restorations (Guichet et al). 2002;87:528-35
Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80
Onlay partial denture technique for assessment of adequate occlusal vertical dimension: a clinical report (Jahangiri and Jang). 2002;87:1-4

Oligodontia
Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Onlays; *see* Inlays

Open-occlusal relationship
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92

Oral device therapy
Oral device therapy for the upper airway resistance syndrome patient (Yoshida). 2002;87:427-30

Oral hygiene
Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72

Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92

Orbital prosthesis
Anterior key method for indexing orbital prostheses (Chambers et al). 2002;87:102-5

Orthodontics
Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report (Geron and Ziskind). 2002;87:125-8

Osseointegration
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Evaluation of two Vitallium blade-form implants retrieved after 13 to 21 years of function: a clinical report (Proussaefs and Lozada). 2002;87:412-5
Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83
Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9
Peri-implant tissue response of immediately loaded, threaded, HA-coated implants: 1-year results (Rungcharassaeng et al). 2002;87:173-81
A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5
Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Osteogenesis
Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Outcome assessment
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4
Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32

Overdenture; *see* Denture, overlay

P

Palatal obturators
Incorporation of an ERA attachment for obturator framework design: a clinical report (Sigurgeirsdottir et al). 2002;87:477-80
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9

Palate
The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22

Palladium
Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5
Potentiodynamic polarization study of the in vitro corrosion behavior of 3 high-palladium alloys and a gold-palladium alloy in 5 media (Sun et al). 2002;87:86-93
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6

Patient education
Fabrication of an educational model for patients considering prostheses retained by osseointegrated implants (Morrison et al). 2002;87:679-83

Patient selection
Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report (Geron and Ziskind). 2002;87:125-8

Periapical tissue
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8

pH; *see* Hydrogen ion concentration

Phosphoric acids
Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41

Photography
Documentation of maxillomandibular relationships during dental photography (Keys and Agar). 2002;87:466
Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9

Pins; *see* Bone nails

Pit and fissure sealants
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8

Plaque
Clinical evaluation of all-ceramic crowns (Gemalmaz and Ergin). 2002;87:189-96
Effect of posterior crown margin placement on gingival health (Reitemeier et al). 2002;87:167-72

Plastics
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations (Chaimattayompol et al). 2002;87:684-7

Polishing
Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8

Polyethylenes
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602

Polymerization
Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9
From vulcanite to vinyl, a history of resins in restorative dentistry (Rueggeberg). 2002;87:364-79

Polymers
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4

Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402

Polytetrafluoroethylene

Simplified clinical procedure for fitting and removing inlays/onlays prior to cementation (Geissberger et al). 2002;87:395-8

Porcelain

Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6

Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9

Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Variation in color between intended matched shade and fabricated shade of dental porcelain (Wee et al). 2002;87:657-66

Post and core technique

Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45

An indirect technique for fabrication of a post and core wax pattern (Hofstede and Ercoli). 2002;87:341-2

Resistance to fracture of endodontically treated teeth resotred with different post systems (Akkayan and Gülmez). 2002;87:431-7

The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6

Postoperative complications

Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4

Precision attachment; *see* Denture, precision attachment

Prosthesis coloring

The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70

Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92

Relationship between tooth shade value and skin color: an observational study (Jahangiri et al). 2002;87:149-52

Retrofitting crowns to an existing removable partial denture clasp: a simple technique (Helvey). 2002;87:399-402

Variation in color between intended matched shade and fabricated shade of dental porcelain (Wee et al). 2002;87:657-66

Prosthesis design

A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9

Prosthesis fitting

An alternate method of verifying the seating of all-ceramic restorations (Keys). 2002;87:411

Effect of splinting and interproximal contact tightness on load transfer by implant restorations (Guichet et al). 2002;87:528-35

Technique to help verify the accuracy of a stone cast for fabrication of a multiple-unit fixed prosthesis (Quinlan). 2002;87:462-3

Prosthesis repair

The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Prosthodontics

ACP Education Foundation kicks off fund-raising campaign (Ferencz). 2002;87:349-50

Prosthodontic management of the curve of Spee: use of the Broadrick flag (Lynch and McConnell). 2002;87:593-7

Protective devices

Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7

Provisional restoration; *see* Restoration, temporary

Q

Quartz

Resistance to fracture of endodontically treated teeth resotred with different post systems (Akkayan and Gülmez). 2002;87:431-7

R

Radiation therapy

Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7

Radiography

Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80

Macro design morphology of endosseous dental implants (Sahiwal et al). 2002;87:543-51

Radiographic identification of nonthreaded endosseous dental implants (Sahiwal et al). 2002;87:552-62

Radiographic identification of threaded endosseous dental implants (Sahiwal et al). 2002;87:563-77

Surgical oral radiographic guide with a removable component for implant placement (Shahrasbi and Hansen). 2002;87:330-2

Rats

Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Readers' round table

Readers' round table. 2002;87:467

Record base

Record base for an edentulous maxillary arch with severe undercuts in the labial aspect of the anterior residual ridge (Nishigawa et al). 2002;87:99-101

Rehabilitation

A review of guidelines for implant rehabilitation of the edentulous maxilla (Henry). 2002;87:281-8

Removable partial denture; *see* Denture, partial, removable

Resins

Abrasion resistance of a resin-impregnated type IV gypsum in comparison to conventional products (Lindquist et al). 2002;87:319-22

Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6

The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9

Effect of finishing and polishing procedures on the gap width between a denture base resin and two long-term, resilient denture liners (Pesun et al). 2002;87:311-8

The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70

Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602

Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9

Flexural strength of provisional crown and fixed partial denture resins (Haselton et al). 2002;87:225-8
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80
Locking retentive attachment for an implant-retained auricular prosthesis (Lemon and Chambers). 2002;87:336-8
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6
4-META use in dentistry: a literature review (Chang et al). 2002;87:216-24
Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9
Treatment of an edentulous patient with surgically induced microstomia: a clinical report (Al-Hadi and Abbas). 2002;87:423-6
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5
From vulcanite to vinyl, a history of resins in restorative dentistry (Rueggeberg). 2002;87:364-79

Restoration, permanent
Alloys for prosthodontic restorations (Wataha). 2002;87:351-63
An alternate method of verifying the seating of all-ceramic restorations (Keys). 2002;87:411
Assessment of occlusal reduction during preparation of teeth for fixed restorations (Lynch and McConnell). 2002;87:110-1
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7
In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
Prosthodontic management of the curve of Spee: use of the Broadrick flag (Lynch and McConnell). 2002;87:593-7
Resistance to fracture of endodontically treated teeth resotred with different post systems (Akkayan and Gülmez). 2002;87:431-7
The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6
Simplified clinical procedure for fitting and removing inlays/onlays prior to cementation (Geissberger et al). 2002;87:395-8
A transfer method for multiple cement-retained implant restorations (Mirfazaelian). 2002;87:692-4
From vulcanite to vinyl, a history of resins in restorative dentistry (Rueggeberg). 2002;87:364-79

Restoration, temporary
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
Conversion of a complete denture to a provisional implant-supported, screw-retained fixed prosthesis for immediate loading of a completely edentulous arch (Kammeyer et al). 2002;87:473-6
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Esthetic provisional replacement of a single anterior tooth during the implant healing phase: a clinical report (Smidt). 2002;87:598-602
Fabrication of a provisional restoration after fracture of an anterior crown (Lynch and McConnell). 2002;87:339-40
Flexural strength of provisional crown and fixed partial denture resins (Haselton et al). 2002;87:225-8
Technique for removing a cemented superstructure from an implant abutment (Okamoto and Minagi). 2002;87:241-2
The use of healing abutments for the fabrication of cement-retained, implant-supported provisional prostheses (Proussaefs). 2002;87:333-5
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32

Retainer
Accurately locating the components of a fixed partial denture prior to soldering the connector: an intraoral technique (Lynch and McConnell). 2002;87:460-1

Retention
Compositional stability and marginal accuracy of complete cast crowns made with as-received and recast type III gold alloy (Ayad). 2002;87:162-6
Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9
Incorporation of an ERA attachment for obturator framework design: a clinical report (Sigurgeirsdottir et al). 2002;87:477-80
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4
Locking retentive attachment for an implant-retained auricular prosthesis (Lemon and Chambers). 2002;87:336-8
Shear bond strength of amalgam reinforced with a bonding agent and/or dentin pins (Sen et al). 2002;87:446-50
Simplified clinical procedure for fitting and removing inlays/onlays prior to cementation (Geissberger et al). 2002;87:395-8
Stafne's bone cavity and its utilization in complete denture retention (Jahangiri et al). 2002;87:245-7
Techniques to minimize excess luting agent in cement-retained implant restorations (Dumbrigue et al). 2002;87:112-4
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Root canal therapy
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Relationship between crown placement and the survival of endodontically treated teeth (Aquilino and Caplan). 2002;87:256-63

The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6

Rubber

Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9

Rubber dam

Block-out prior to pick-up impression of overdenture with ERA attachments (Ku et al). 2002;87:695

S

Saline

Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32

Saliva

Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8

Scanning electron microscopy; *see* Microscopy, electron, scanning

Scleroderma, systemic

Implant-supported, long-span fixed partial denture for a scleroderma patient: a clinical report (Haas). 2002;87:136-9

Screws; *see* Bone screws

Shade

Relationship between tooth shade value and skin color: an observational study (Jahangiri et al). 2002;87:149-52

Variation in color between intended matched shade and fabricated shade of dental porcelain (Wee et al). 2002;87:657-66

Silica; *see* Silicon dioxide

Silicon dioxide

The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Silicone elastomers

The accuracy of dual-arch impressions: a pilot study (Larson et al). 2002;87:625-7

Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9

Skin color

Relationship between tooth shade value and skin color: an observational study (Jahangiri et al). 2002;87:149-52

Sleep apnea syndromes

Oral device therapy for the upper airway resistance syndrome patient (Yoshida). 2002;87:427-30

Sleep disorders

Oral device therapy for the upper airway resistance syndrome patient (Yoshida). 2002;87:427-30

Smoking

Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9

Soft tissue

Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91

Software

Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9

Soldering

Accurately locating the components of a fixed partial denture prior to soldering the connector: an intraoral technique (Lynch and McConnell). 2002;87:460-1

Solvent-based bonding

Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41

Spectroscopy; *see* Spectrum analysis, mass

Spectrum analysis, mass

Inductively coupled plasma-mass spectroscopy measurements of elemental release from 2 high-palladium dental casting alloys into a corrosion testing medium (Tufekci et al). 2002;87:80-5

Speech

Conversion of an interim into a definitive speech aid: a predictable approach (Tapia et al). 2002;87:106-9

Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique (Lemon et al). 2002;87:236-9

Splints

Effect of splinting and interproximal contact tightness on load transfer by implant restorations (Guichet et al). 2002;87:528-35

Stafne's bone cavity

Stafne's bone cavity and its utilization in complete denture retention (Jahangiri et al). 2002;87:245-7

Stents

Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7

A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5

Stone; *see* Calcium sulfate

Stress, mechanical

Effect of connector design on the fracture resistance of all-ceramic fixed partial dentures (Oh and Anusavice). 2002;87:536-42

The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9

Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27

Surgical guide

A surgical guide for accurate mesiodistal paralleling of implants in the posterior edentulous mandible (Akça et al). 2002;87:233-5

Surgical oral radiographic guide with a removable component for implant placement (Shahrasbi and Hansen). 2002;87:330-2

Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32

Survival

Factors affecting the survival of implants placed in grafted maxillary sinuses: a clinical report (Kan et al). 2002;87:485-9

Relationship between crown placement and the survival of endodontically treated teeth (Aquilino and Caplan). 2002;87:256-63

The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review (Heydecke and Peters). 2002;87:380-6

Swinglock framework

Incorporation of an ERA attachment for obturator framework design: a clinical report (Sigurgeirsdottir et al). 2002;87:477-80

T

Taste
A randomized clinical trial comparing the efficacy of mandibular implant-supported overdentures and conventional dentures in diabetic patients. Part V: food preference comparisons (Roumanas et al). 2002;87:62-73

Temperature
Evaluation of porosity in microwave-processed acrylic resin using a photographic method (Yannikakis et al). 2002;87:613-9
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
Tensile strength of type IV dental stones dried in a microwave oven (Hersek et al). 2002;87:499-502
Use of heat-pressed, leucite-reinforced ceramic on anterior and posterior onlays: a clinical report (Gemalmaz). 2002;87:133-5

Templates
Use of transitional implants to support a surgical guide: enhancing the accuracy of implant placement (Simon). 2002;87:229-32
Temporary restoration; *see* Restoration, temporary

Temporomandibular joint
Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships (Pullinger et al). 2002;87:298-310
Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints (Pullinger et al). 2002;87:289-97
No association between incisal tooth wear and temporomandibular disorders (John et al). 2002;87:197-203
Prevalence of missing posterior teeth and intraarticular temporomandibular disorders (Tallents et al). 2002;87:45-50

Tensile strength
Defects in hexed gold prosthetic screws: a metallographic and tensile analysis (Rambhia et al). 2002;87:30-9
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
Tensile strength of type IV dental stones dried in a microwave oven (Hersek et al). 2002;87:499-502

Tetrahydrozoline
Electron microscopic analysis of the effects of chemical retraction agents on cultured rat keratinocytes (Kopač et al). 2002;87:51-6

Therapeutic radiation
Evaluation of a device for attenuation of electron release from dental restorations in a therapeutic radiation field (Reitemeier et al). 2002;87:323-7

Thermal cycling
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6

Tissue conditioning
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
The effect of two different coatings on the surface integrity and softness of a tissue conditioner (Malmström et al). 2002;87:153-7
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Tissue transplantation
Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32

Titanium
Casting titanium partial denture frameworks: a radiographic evaluation (Cecconi et al). 2002;87:277-80
Changes in dentin after insertion of self-threading titanium pins with 3 methods: a scanning electron microscope pilot study (Segović et al). 2002;87:182-8
Evaluation of two Vitallium blade-form implants retrieved after 13 to 21 years of function: a clinical report (Proussaefs and Lozada). 2002;87:412-5
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45
A simple method of making an implant-level impression when presented with limited space, unfavorable implant positions, or problematic implant angulations (Chaimattayompol et al). 2002;87:684-7
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9

Tooth, artificial
Relationship between tooth shade value and skin color: an observational study (Jahangiri et al). 2002;87:149-52

Tooth erosion
Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7

Tooth eruption
Lingual forced eruption orthodontic technique: clinical considerations for patient selection and clinical report (Geron and Ziskind). 2002;87:125-8

Tooth extraction
Bonded provisional restorations for esthetic soft tissue support in single-implant treatment (Poggio and Salvato). 2002;87:688-91
Relationship between crown placement and the survival of endodontically treated teeth (Aquilino and Caplan). 2002;87:256-63

Tooth preparation
Alternative method for standardized tooth preparation (Gür et al). 2002;87:464-5
Assessment of occlusal reduction during preparation of teeth for fixed restorations (Lynch and McConnell). 2002;87:110-1
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61
Influence of different convergence angles and tooth preparation heights on the internal adaptation of Cerec crowns (Mou et al). 2002;87:248-55
Stress distribution of inlay-anchored adhesive fixed partial dentures: a finite element analysis of the influence of restorative materials and abutment preparation design (Magne et al). 2002;87:516-27
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9

Tooth wear
Abrasion resistance of a resin-impregnated type IV gypsum in comparison to conventional products (Lindquist et al). 2002;87:319-22
The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9
Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9

In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6
No association between incisal tooth wear and temporomandibular disorders (John et al). 2002;87:197-203
Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7

Toothbrushing
Customizing the size of toothbrush handles for patients with restricted hand and finger movement (Reeson and Jepson). 2002;87:700
Effect of toothbrushing on the toxicity of casting alloys (Wataha et al). 2002;87:94-8

Toothpaste
Effect of toothbrushing on the toxicity of casting alloys (Wataha et al). 2002;87:94-8

Toxicity
Effect of toothbrushing on the toxicity of casting alloys (Wataha et al). 2002;87:94-8

Tracheoesophageal speech
Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique (Lemon et al). 2002;87:236-9

Traction
Use of an individual traction prosthesis and distraction osteogenesis to reposition osseointegrated implants in a juvenile with ectodermal dysplasia: a clinical report (Celar et al). 2002;87:145-8

Translucency
The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70

Tray
The accuracy of dual-arch impressions: a pilot study (Larson et al). 2002;87:625-7
A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5
The influence of tray type and other variables on the palatal depth of casts made from irreversible hydrocolloid impressions (Frank et al). 2002;87:15-22
Laser digitization of casts to determine the effect of tray selection and cast formation technique on accuracy (Brosky et al). 2002;87:204-9
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80

Treatment outcome
Endodontic failure caused by inadequate restorative procedures: review and treatment recommendations (Heling et al). 2002;87:674-8
Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study (Chaffee et al). 2002;87:40-4
Use of connective tissue grafts to enhance the esthetic outcome of implant treatment: a clinical report of 2 patients (El Askary). 2002;87:129-32

Treatment planning
A review of guidelines for implant rehabilitation of the edentulous maxilla (Henry). 2002;87:281-8

Trial dentures
A procedure for making trial dentures (Mamoun). 2002;87:328-9

U

Upper airway resistance syndrome
Oral device therapy for the upper airway resistance syndrome patient (Yoshida). 2002;87:427-30

V

Veneers
Alternative method for standardized tooth preparation (Gür et al). 2002;87:464-5
Investigation of microleakage at the interface between a Co-Cr based alloy and four polymeric veneering materials (Rominu et al). 2002;87:620-4
Maxillary and mandibular overlay removable partial dentures for the treatment of posterior open-occlusal relationship: a clinical report (Del Castillo et al). 2002;87:587-92
Tensile bond strengths of composites to a gold-palladium alloy after thermal cycling (Chang et al). 2002;87:271-6
Tooth structure removal associated with various preparation designs for anterior teeth (Edelhoff and Sorensen). 2002;87:503-9
The use of chairside silica coating for different dental applications: a clinical report (Özcan). 2002;87:469-72

Vertical dimension
A clinical pilot study of the dimensional accuracy of double-arch and complete-arch impressions (Cox et al). 2002;87:510-5
Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9
A light-polymerized resin support tray as an aid for recording centric relation (Goto et al). 2002;87:578-80
Onlay partial denture technique for assessment of adequate occlusal vertical dimension: a clinical report (Jahangiri and Jang). 2002;87:1-4

Vinyl compounds
From vulcanite to vinyl, a history of resins in restorative dentistry (Rueggeberg). 2002;87:364-79

Visible light-polymerized resins
A titanium and visible light-polymerized resin obturator (Rilo et al). 2002;87:407-9

Voice
Conversion of an interim into a definitive speech aid: a predictable approach (Tapia et al). 2002;87:106-9
Modification of the Barton button for tracheoesophageal speech: an innovative maxillofacial prosthetic technique (Lemon et al). 2002;87:236-9

W

Water
Effect of irrigation solutions on dentin bonding agents and restorative shear bond strength (Sung et al). 2002;87:628-32
The effect of water storage and light exposure on the color and translucency of a hybrid and a microfilled composite (Buchalla et al). 2002;87:264-70
High-speed cavity preparation techniques with different water flows (Cavalcanti et al). 2002;87:158-61

Water-based bonding
Interfacial micromorphological differences in hybrid layer formation between water- and solvent-based dentin bonding systems (Gregoire et al). 2002;87:633-41

Waxes
Effect of wax melting range and investment liquid concentration on the accuracy of a three-quarter crown casting (Ito et al). 2002;87:57-61
An indirect technique for fabrication of a post and core wax pattern (Hofstede and Ercoli). 2002;87:341-2
A maxillary screw-retained, implant-supported diagnostic wax pattern (Proussaefs). 2002;87:403-6
Quick chairside diagnostic wax-up (Dalvit et al). 2002;87:581-2

Wear

Abrasion resistance of a resin-impregnated type IV gypsum in comparison to conventional products (Lindquist et al). 2002;87:319-22

The effect of filler loading and morphology on the mechanical properties of contemporary composites (Kim et al). 2002;87:642-9

Factors affecting enamel and ceramic wear: a literature review (Oh et al). 2002;87:451-9

In vitro wear rates of materials under different loads and varying pH (Shabanian and Richards). 2002;87:650-6

No association between incisal tooth wear and temporomandibular disorders (John et al). 2002;87:197-203

Pinlay to prevent and restore excessive wear in anterior teeth (Aloul and Hansen). 2002;87:696-7

Z

Zirconia

Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems (Heydecke et al). 2002;87:438-45